



MATERIAL SAFETY DATA SHEET

MSDS IDENTIFICATION NAME: Tyfo[®] CIS, Layer 2
MSDS NUMBER: TYFO-CIS-Layer2-001

DATE: December 3, 2010 **PAGE:** 1 OF 3
SUPERSEDES: May 2008

SECTION I: MATERIAL AND MANUFACTURER IDENTIFICATION

MANUFACTURER:
FYFE CO. LLC
8380 Miralani Drive
San Diego, CA 92126

EMERGENCY TELEPHONE NUMBER:
CHEMTEL 800 255 3924 (24 Hours)
INFORMATION TELEPHONE NUMBER:
858-642-0694

PRODUCT IDENTIFICATION NUMBER: Tyfo[®] CIS Layer 2
CHEMICAL FAMILY: Silicate Blend with Additives in Water

SECTION II: COMPOSITION / INFORMATION ON INGREDIENTS

This document is prepared to the OSHA Hazard Communication Standard (29 CFR 1910.1200)

MATERIAL OR COMPONENT	CAS NUMBER	OSHA(PEL)	OSHA(TWA)	ACGIH(TLV)
Potassium Silicate	1312-76-1	N/A	N/A	N/A
Sodium Silicate	1344-09-8	N/A	N/A	N/A

SECTION III: HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW:

APPEARANCE AND ODOR:

Clear liquid with sweet odor.

STATEMENTS OF HAZARD:

Caution, may cause skin and eye irritation.

PRIMARY ROUTES OF EXPOSURE:

EYES—YES SKIN CONTACT—YES INHALATION—YES INGESTION--NO

POTENTIAL HEALTH EFFECTS:

EYES: Contact may cause irritation and stinging.

SKIN: Prolonged exposure may irritate the skin.

INHALATION: Causes irritation to the respiratory tract.

INGESTION: May cause irritation to the esophagus and stomach.

Medical conditions aggravated by exposure: None Known.

Chemical Listed as Carcinogen or Potential Carcinogen: NO

National Toxicology Program: NO I.A.R.C. Monographs: NO OSHA: NO

SECTION IV: FIRST AID MEASURES

EYES: Rinse eyes with cool water for 15 minutes. Get medical attention.

SKIN CONTACT: Wash off with soap and water. If irritation occurs, get medical attention.

INHALATION: Remove victim to fresh air and provide oxygen if breathing is difficult. Get medical attention.

INGESTION: Drink two glasses of water and induce vomiting. Never give anything to an unconscious person. Get medical attention.

SECTION V: FIRE FIGHTING MEASURES

FLASH POINT/METHOD OF DETERMINATION: None

MEANS OF EXTINCTION: This material is not expected to burn.

AUTO-IGNITION TEMP.: Not Available **LIMITS OF FLAMMABILITY: LEL:** Not Available **UEL:** Not Available

SPECIAL FIRE FIGHTING PROCEDURES AND PRECAUTIONS: None known.

UNUSUAL FIRE AND EXPLOSION HAZARDS: None known.

SECTION VI: ACCIDENTAL RELEASE MEASURES

PROCEDURES IN CASE OF ACCIDENTAL RELEASE OF LEAKAGE: Large spills – Dike and contain for intended use. Small spills – Eliminate all sources of ignition such as fires, flames (including pilot lights) and electrical sparks. Absorb liquid on vermiculite, floor absorbent material and transfer to hood.

SECTION VII: HANDLING AND STORAGE

HANDLING AND STORAGE: Keep product from freezing. If frozen, thaw and agitate before use.

SECTION VIII: EXPOSURE CONTROLS/PERSONAL PROTECTION

EYE/FACE PROTECTION: Wear chemical resistant goggles to prevent contact with eyes.

SKIN PROTECTION: Wear chemical resistant protective clothing, rubber gloves, and boots depending on the operation. Thoroughly clean contaminated clothing.

RESPIRATORY PROTECTION: U.S Bureau of Mines Respirator; self-contained breathing device, airline or NIOSH approved respirator. The specific respirator selected must be based on contamination levels in the work place, must be based on the specific operation, must not exceed the working limits of the respirator, and must be jointly approved by the National Institute of Occupational Safety and Health and the Mine Safety and Health Administration (NIOSH-MSHA). Recommend wearing respirator when applying by spray.

VENTILATION: Local Exhaust.

GENERAL HYGIENE RECOMMENDATIONS: Remove any contaminated clothing and launder before reuse. Properly dispose of shoes and clothing that are extremely contaminated.

SECTION IX: PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE AND ODOR	Clear liquid with Sweet odor
BOILING POINT (°F/°C)	212°F
MELTING POINT (°F/°C)	Not Available
SPECIFIC GRAVITY (WATER = 1)	1.094 – 1.17
pH	11.5
VAPOR PRESSURE @ 20°C (mm Hg.)	Not Available
VAPOR DENSITY (AIR-1)	Not Available
ODOR THRESHOLD	Not Available
SOLUBILITY IN WATER	100%
EVAPORATION RATE	Not Available

SECTION X: STABILITY AND REACTIVITY

STABILITY: Stable **HAZARDOUS POLYMERIZATION:** Will not occur under normal conditions of use.

INCOMPATIBLE MATERIALS: Flammable hydrogen gas may be produced on prolonged contact with metals such as aluminum, tin, lead, and zinc. Avoid contact with glass and reactive metals.

HAZARDOUS DECOMPOSITION OR BY-PRODUCTS: Hydrogen gas. **CONDITIONS TO AVOID:** None known.

SECTION XI: TOXICOLOGICAL INFORMATION

Not Available.

SECTION XII: ECOLOGICAL INFORMATION

Not Available.

SECTION XIII: DISPOSAL CONSIDERATIONS

WASTE DISPOSAL METHODS: Material for disposal should be placed in appropriate sealed containers to avoid potential human and environmental exposure. Dispose of in a manner that complies with all local, state and Federal regulations.

SECTION XIV: TRANSPORTATION INFORMATION

DOT AND IATA:

DOT SHIPPING NAME
Label Required

Compounds, cleaning liquid
None

SECTION XV: REGULATORY INFORMATION

SECTION 313 (With Chemicals Listed): This product contains the following toxic chemical(s) subject to the reporting requirements of Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA) and 40 CFR Part 372:

Ingredient	CAS Number	Weight Percent
None	NA	NA

SECTION XVI: OTHER INFORMATION

SPECIAL PRECAUTIONS: Empty containers will retain some of the product residue. When handling or disposing of them, follow all label warnings, other instructions and waste disposal procedures.

EXPLANATION AND DISCLAIMER: Wherever such words or phrases as "hazardous," "toxic," carcinogen," appear herein, they are used as defined or described under state employee right-to-know laws, Federal OSHA laws or the direct sources for these laws such as the International Agency for Research on Cancer (IARC), the National Toxicology Program (NTP), etc. The use of such words or phrases should not be taken to mean that we deem or imply any substance or exposure to be toxic, hazardous or otherwise harmful. ANY EXPOSURE CAN ONLY BE UNDERSTOOD WITHIN THE ENTIRE CONTEXT OF ITS OCCURRENCE, WHICH INCLUDES SUCH FACTORS AS THE SUBSTANCE'S CHARACTERISTICS AS DEFINED IN THE MSDS, AMOUNT AND DURATION OF EXPOSURE, OTHER CHEMICALS PRESENT AND PREEXISTING INDIVIDUAL DIFFERENCES IN RESPONSE TO THE EXPOSURE.

The information and recommendation set forth are believed to be accurate. Because some of the information used to prepare this document is derived from information provided to Fyfe Co. from its raw materials suppliers, and because Fyfe Co. has no control over the conditions of handling and use, Fyfe Co. makes no warranty, expressed or implied, regarding the accuracy of the data or the results obtained from the use thereof. The information and consideration, and Fyfe Co. assumes no responsibility from use or reliance thereon. It is the responsibility of the user of Fyfe Co. products to comply with all applicable federal, state, and local laws and regulations. WE DISCLAIM LIABILITY FOR DAMAGE OR INJURY INCURRING DIRECTLY OR INDIRECTLY FROM THE USE OF THIS PRODUCT.

APPROVED AND AUTHORIZED BY: *Edward R. Fyfe*